

FIG. 1

208490" E284800F




FIG. 2

202130" EEB4300T





FIG. 3

4/23



Characteristic	
Total duration (sec)	1180
Total distance (km)	11.007
Max. speed (km/hr)	120

FIG. 4

208130" ECEH001

5/23

208T90" E284800T




FIG. 5

6/23

208790" EE84800T




FIG. 6

7/23

208790\*EE848001




FIG. 7

8/23

208T90"EE24800T




FIG. 8



9/23

208190" EE84300F




FIG. 9

10/23

202190" EE34800F




FIG. 10

11/23

208T50" EESH800T




FIG. 11

12/23

208T90"EEB4B00T




FIG. 12

13/23

208F90"EE84E00F




FIG. 13

14/23

208T90" FEEDSHOT




FIG. 14

15/23

208T90" EESH800T




FIG. 15

16/23

208750" E248007




FIG. 16



208T90" E84800T




FIG. 17

208T90" EEB4800T




FIG. 18

19/23

208T90" EEBH8DDT




FIG. 19

20/23

208T90" EEB7800T




FIG. 20

2008T50" E684800T




FIG. 21

208150" EE84800T




FIG. 22

METHOD AND COMPOSITION FOR USING ORGANIC, PLANT DERIVED, OIL-EXTRACTED....

Jordan, Frederick L.

Appl. No.: 10/084,833 Atty. Docket: ORYXE.028A

23/23

FIG. 23



208T90" EE84800T